

WOODEN FAN BLADE

BACKGROUND OF THE INVENTION

1. Field of the Invention

5 The present invention relates to fan blades and, more particularly, to a deformation-protective wooden fan blade.

2. Description of the Related Art

 Regular fan blades for ceiling fans may be molded from hard plastics, or made of metal or wood. Wooden fan blades are most invited on the market for the
10 advantage of the friendly quality of their wooden fiber pattern. In order to prevent curving of the blade body in longitudinal direction, a wooden fan blade has the wooden fibers extended substantially in parallel to the longitudinal axis of the blade body. However, this arrangement cannot prohibit the blade body from curving in transverse direction. Further, a wooden fan blade may break or split between fiber bundles due to
15 a severe temperature or moisture change, causing the blade body to fall from the housing of the ceiling fan during rotary motion of the ceiling fan.

SUMMARY OF THE INVENTION

 It is the primary objective of the present invention to provide a
20 deformation-protective wooden fan blade, which has means to protect the fan blade body from curving and splitting.

 To achieve this objective of the present invention, the wooden fan blade comprises a blade body and a rib strip fitted into the blade body. The blade body is made of a narrow, elongated flat wooden plate having wooden fibers extended
25 substantially in parallel to a longitudinal axis of the blade body. The blade body has an

elongated groove transversely disposed at one side thereof across the extending direction of the wooden fibers of the wooden plate. The rib strip is fitted into the elongated groove and has a plurality of raised portions respectively forced into engagement with the blade body in the elongated groove. The rib strip protects the blade body from deformation. The raised portions of the rib strip prevent breaking of the blade body between fiber bundles.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a perspective exploded view of a wooden fan blade according to the present invention.

FIG. 2 is a bottom view of the wooden fan blade shown in FIG. 1.

FIG. 3 is a top view of the wooden fan blade shown in FIG. 1.

FIG. 4 is a sectional view taken along line 4-4 of FIG. 2.

FIG. 5 is a sectional view of an alternate form of the wooden fan blade according to the present invention.

DETAILED DESCRIPTION OF THE INVENTION

Referring to FIGS. 1~4, a wooden fan blade in accordance with the present invention is shown comprised of a blade body 10 and three rib strips 20. The blade body 10 is a narrow, elongated flat member made of wood and shaped like a tree leaf. The fibers of the wooden material of the blade body 10 extend substantially in parallel to the longitudinal axis (major axis) of the blade body 10. The blade body 10 has a longitudinal reinforcing midrib 11 protruded from one side and shaped like the midrib of a real tree leaf, and three elongated grooves 12 transversely disposed at the other side across the extending direction of the fibers of the wooden material of the blade

body **10**.

The rib strips **20** are made of hard metal and shaped like a U-shaped channel bar, each having two sets of equally spaced raised portions **21** respectively arranged in line at each of the two opposite long sides along the longitudinal axis of the rib strip.

5 The length and width of the rib strips **20** are approximately equal to the length and depth of the elongated grooves **12**.

The rib strips **20** are respectively hammered into the elongated grooves **12**, forcing the raised portions **21** of the rib strips **20** into engagement with the two opposite longitudinal sidewalls of each of the elongated grooves **12**. Therefore, the rib
10 strips **20** are firmly secured to the blade body **10** (see FIG. 4).

Because the rib strips **20** are respectively fastened to the elongated grooves **12** of the blade body **10**, they protect the blade body **10** against bending in transverse direction (the minor axis direction). Further, the raised portions **21** of the rib strips **20** impart a retaining force to the fibers of the wooden material of the blade body **10** in
15 transverse direction, preventing breaking of the blade body **10** between the fibers bundles.

Therefore, a wooden fan blade made according to the present invention is durable in use, not easy to deform or split.

The invention is not limited to the use of the aforesaid rib strips. Any
20 arrangement of rib strips that protects the blade body from curving inwards in the transverse direction (minor axis direction) and impart a transverse retaining force to the fibers of the wooden material of the blade body can be employed to the present invention. FIG. 5 shows an alternate form of the present invention (it is a cross-sectional view taken along one rib strip). This alternate form is substantially
25 similar to the aforesaid embodiment with the exception that the raised portions **31** of

the rib strips **30** are disposed at the bottom side corresponding to the bottom walls of the elongated grooves **32**. When press-fitted the rib strips **30** into the elongated grooves **32**, the raised portions **31** are respectively driven into the bottom walls of the elongated grooves **32**.

5 Although particular embodiments of the invention have been described in detail for purposes of illustration, various modifications and enhancements may be made without departing from the spirit and scope of the invention. Accordingly, the invention is not to be limited except as by the appended claims.